UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,563	01/20/2004	Jeroen Valensa	00655-1213US	1065
	7590 10/06/200 ST & FRIEDRICH LL	EXAMINER		
100 E WISCON	NSIN AVENUE	RAHIM, AZIM		
	Suite 3300 MILWAUKEE, WI 53202		ART UNIT	PAPER NUMBER
			3744	
			MAIL DATE	DELIVERY MODE
			10/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/760,563	VALENSA ET AL.
Office Action Summary	Examiner	Art Unit
	AZIM RAHIM	3744
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLEWHICHEVER IS LONGER, FROM THE MAILING DEVICE - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION  .136(a). In no event, however, may a reply be tird  d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 18 A     This action is <b>FINAL</b> . 2b) ☑ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4)  Claim(s) 1-19 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5)  Claim(s) is/are allowed.  6)  Claim(s) 1-19 is/are rejected.  7)  Claim(s) is/are objected to.  8)  Claim(s) are subject to restriction and/o	awn from consideration.	
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by the defended or b) for objected to by the defended or by the drawing(s) is objection is required if the drawing(s) is objection is	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) ☐ Acknowledgment is made of a claim for foreig     a) ☐ All b) ☐ Some * c) ☐ None of:     1. ☐ Certified copies of the priority document 2. ☐ Certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the certified copies of the priority documents. ☐ Copies of the priority d	nts have been received. nts have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D: 5)  Notice of Informal F 6)  Other:	ate

Application/Control Number: 10/760,563 Page 2

Art Unit: 3744

## **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/18/2008 has been entered.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Valensa et al. (US 7,069,981) in view of Burch et al. (US 2003/0129108).

Regarding claims 1, 6, 10 and 15, Valensa et al. disclose a reformate cooling system (figs. 1-3) for reducing the temperature of a reformate to within a desired temperature range for use in a fuel processing subsystem (see abstract), the fuel processing subsystem including a process water flow that supplies water to a fuel flow in the fuel processing subsystem (col. 1 line 37, water entering the system); the reformate cooling system comprising: at least one heat exchanger unit (30 or 50) to transfer heat from the reformate flow to a portion of a humidified air/methane mixture (col. 1 lines 41-47), the at least one heat exchanger including a coolant inlet (entrance 62), a coolant outlet (exit 64), a coolant flow path (flow path 56) to direct the portion of the humidified air/methane mixture from the coolant inlet to the coolant outlet (explicitly shown in fig. 3), a reformate inlet (entrance 68), a reformate outlet (exit 70), and a reformate flow path (flow path 58) to direct the reformate flow from the reformate inlet to the reformate outlet with a countercurrent flow relationship between the portion of the humidified air/methane mixture in the coolant flow path and reformate flow in the reformate flow path (explicitly shown

in fig. 2), the heat exchanger having a sufficient effectiveness to fully vaporize the portion of the process water flow and bring the reformate flow and the portion of the humidified air/methane mixture toward a common exit temperature under normal operating conditions for the fuel processing subsystem (col. 7 lines 18-22); a valve (44) connected to the coolant inlet (via line 46) to control the flow rate of said portion of the humidified air/methane mixture to the coolant inlet (capable of relieving the pressure of the flow from "HUMID"); a temperature sensor (40) positioned to measure an outlet temperature of the reformate (col. 2 lines 19-20); a controller (PID controller 42) connected to the temperature sensor and responsive thereto to selectively control the portion of the humidified air/methane mixture via the valve to regulate the common exit temperature to a desired temperature range (col. 2 lines 18-29); and an active control loop (the connection of the temperature sensor 40 and valve 44 to PID controller 42) to control the flow rate of the portion of the humidified air/methane mixture through the heat exchanger to maintain the common exit temperature within the desired temperature range (col. 2 lines 18-29, where this system is capable of performing the above limitation). Also note that the system inherently performs the method of operating a reformate cooling system.

Valensa fails to teach the limitation of using a process water flow to exchange heat with a reformate in a heat exchanger, which is configured to fully vaporize the portion of the process water flow, the flow of both the reformate and the process water flow being in a concurrent flow relationship.

Burch et al. teach the limitation of using a process water flow to exchange heat with a reformate in a heat exchanger [0036 lines 4-5], which is configured to fully vaporize the portion of the process water flow [0036 lines 4-12].

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the reformate cooling system of Valensa to include the use of a process water flow to exchange heat with a reformate in a heat exchanger as taught by Burch et al. in order to take advantage of the high latent energy of the water, thus providing a gradual change in temperature of the fluid being heat exchanged with the water, thus increasing efficiency.

Furthermore, the general concept of providing the flow of both the reformate and the process water flow being in a concurrent flow relationship falls within the realm of common knowledge as obvious mechanical expedient and is illustrated by Burch et al. which teaches the concept of exchanging heat between two fluids flowing in a concurrent relationship (illustrated in fig. 1 that heat exchanger 22 has two fluid flows entering on a same side and exiting on a same side), and one having ordinary skill in the art would have been motivated to include the use of the flow of both the reformate and the process water flow being in a concurrent flow relationship in order to prevent overcooling of the heat transfer fluid, thus increasing operating efficiency.

Regarding claim 2, Valensa et al. disclose wherein an auto-thermal reformer (26) receives the portion of the humidified air/methane mixture from the coolant outlet and mixes the portion of the process water flow with the fuel flow (col. 6 lines 11-16, in with humidified air/methane and out with reformate).

Regarding claim 3, Valensa et al. disclose wherein the temperature sensor (40) is positioned at the reformate outlet (explicitly shown in fig. 1).

Regarding claim 4, Valensa et al. disclose wherein the temperature sensor is positioned at the coolant outlet (col. 3 lines 42-49, where there would have to be a temperature sensor in order to compare the temperatures of both first and second fluid outlets).

Regarding claim 5, Valensa et al. disclose wherein the controller is electronically coupled to the temperature sensor (col. 2 lines 18-29).

Regarding claim 7, Valensa et al. disclose the step of adjusting the temperature range of the reformate exiting the first flow path in response to changes in catalytic activity in a hydrogen purification device receiving said reformate exiting the first flow path (col. 1 line 61 – col. 2 line 5, the catalytic activity in ATR 26).

Regarding claim 8, Valensa et al. disclose the step of recombining the portion of the process water flow with a remainder of the humidified air/methane mixture (fig. 1, where the line from "HUMID" splits into one line to heat exchanger 30 and line 46, each taking portions of the humidified air/methane mixture and recombining after the heat exchanger 30)..

Regarding claim 9, Valensa et al. disclose the step of transferring the recombined humidified air/methane mixture to an auto-thermal reformer (fig. 1, arrow to ATR 26)

Regarding claims 11 and 16, Valensa et al. disclose wherein the active control loop is a feedback control loop (the feedback of temperature sensor 40 and valve 44 to the PID controller 42, indicated by dotted line).

Page 7

Regarding claims 12 and 17, Valensa et al. disclose wherein the active control loop includes a valve (44) to control the flow rate of the portion of the humidified air/methane mixture (explicitly shown in fig. 1).

Regarding claims 13 and 18, Valensa et al. disclose wherein the active control loop monitors the reformate outlet temperature (inherent due to the connection of the temperature sensor 40 and the PID controller 42).

Regarding claims 14 and 19, Valensa et al. disclose the coolant outlet being connected to an auto-thermal reformer (fig. 1, indicated by arrow from heat exchanger 30 to ATR 26).

## Response to Arguments

5. Applicant's arguments filed 8/18/2008 have been fully considered but they are not persuasive.

In regard to the rejections of claims 1, 2-5, 10 and 11-15, the Applicants suggest that sit is improper to select features from two distinct heat exchangers 30 and 50 in Valensa et al., and to recombine those features to create a hypothetical prior art heat exchanger, and that Valensa et al. teach away from the proposed combination. The Examiner respectfully disagrees. The

Examiner has not used the heat exchangers as a combination, but rather as one heat exchanger because, as stated above, both heat exchangers (30 and 50) have the same features. First, both heat exchangers 30 and 50, can be interchangeable. Both heat exchangers are part of a flow path that flows from a humidifier (24) to the heat exchanger (30 or 50), to an auto-thermal reformer (26), to the HTS (28) back through the heat exchanger and then through LTS (32). This shows that both heat exchangers are interchangeable and that both heat exchangers are used in tandem in disclosing the claimed invention. Further, the Applicants suggest that it is incorrect to consider a humidified air/methane mixture to be the same as the water flow of claim 1. The Examiner respectfully disagrees. As stated in the interview summary mailed 7/1/2008, the material of the process flow does not lend any structure to the claimed invention. Also, the claimed invention does not include any structure specific to the handling of only water. In addition, the Applicants suggest that Valensa et al. do not teach or suggest the limitation of a heat exchanger having a sufficient effectiveness to fully vaporize the portion of the process water flow and bring the reformate flow and the portion of the process water flow toward a common exit temperature under normal operating conditions for the fuel processing subsystem. The Examiner respectfully disagrees. The limitation "having a sufficient effectiveness to fully vaporize the portion of the process water flow and bring the reformate flow and the portion of the process water flow toward a common exit temperature under normal operating conditions for the fuel processing subsystem" is a statement of intended use, lends no structure to the claimed invention and Valensa et al.'s heat exchanger is capable of performing this operation. Also, the applicant is reminded that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus

satisfying the structural limitations of the claims, as is the case here. Nevertheless, this intended use limitation does not require that the water be vaporized, but rather requires that the process flow that includes the water be vaporized. In addition, the Applicants suggest that Valensa does not teach a controller connected to a temperature sensor and responsive thereto to selectively control the portion of the process water flow via a valve to regulate a common exit temperature to a desired temperature range With regard to the suggested improper combination of heat exchangers 30 and 50. The Examiner respectfully disagrees. The controller 42 and temperature sensor 40 is shown to be an addition to figure 1 in reference to figure 2 of Valensa et al. Regardless of if figure 2 is an improvement over figure 1 by eliminating the controller and temperature sensor, the Examiner has taken the Valensa et al. reference as a whole, as disclosing the claimed invention. The Applicants suggest that the combination of Valensa et al. and Burch et al. do not teach or suggest that the fuel flow and the water flow are in a concurrent flow relationship and the combination of both references is improper. The Examiner respectfully disagrees. As stated in the interview summary, the Burch et al. reference was used solely for the teaching of a concurrent flow relationship between two fluid paths within a heat exchanger, because such a concept is old and well known in the art. This shows that the combination of the references is proper. Therefore, for at least these reasons, the Examiner respectfully submits that the rejections are properly upheld.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AZIM RAHIM whose telephone number is (571) 270-1998. The

Application/Control Number: 10/760,563 Page 10

Art Unit: 3744

examiner can normally be reached on Monday - Thursday 7am - 3pm EST and Friday 7am -

9:30am EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Frantz Jules can be reached on 571-272-6681 or Cheryl Tyler at 571-272-4834. The

fax phone number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Azim Rahim/

Examiner, Art Unit 3744

9/23/2008

/Frantz F. Jules/

Supervisory Patent Examiner, Art Unit 3744